Physica C 207 (1993) 397–399
North-Holland

PHYSICA C

Author Index to Volume 207

Adachi, H., see K. Fukushima **207**, 119
Adachi, S., N. Watanabe, N. Seiji, N. Koshizuka and H. Yamauchi, Structural and superconducting properties of (Y/Pr)$Ba_2Cu_4O_8$ prepared by using O_2-HIP technique **207**, 127
Agostinelli, J.A., J.M. Chwalek, C.J. Baron, G. Lubberts and C.D. Dowell, YBCO-based ramp-edge Josephson junctions and DC SQUIDs with a cubic-YBCO barrier layer **207**, 203
Aoki, H., see S. Uji **207**, 112
Apte, P.R., see R. Pinto **207**, 13

Babu, T.G.N. and C. Greaves, Critical hole density for superconductivity in Sr-containing phases related to $YBa_2Cu_3O_7$. Structure, superconductivity and cation substitutions in $YSr_2Cu_{2.8}Cr_{0.2}O_7$ **207**, 44
Bąk, T., see J. Molenda **207**, 147
Barczyński, R., see M. Gazda **207**, 300
Barner, J.B., see R.P. Vasquez **207**, 266
Barner, J.B., B.D. Hunt, M.C. Foote, W.T. Pike and R.P. Vasquez, $YBa_2Cu_3O_{7-\delta}$-based, edge-geometry SNS Josephson junctions with low-resistivity $PrBa_2Cu_3O_{7-\delta}$ barriers **207**, 381
Baron, C.J., see J.A. Agostinelli **207**, 203
Beales, T.P., C. Dineen, S.R. Hall, M.R. Harrison and J. M Parberry, New cuprates with the "1212" structure. (M′, M)Sr_2(Y, Ca)Cu_2O_7 where M′=Ce, Bi and M=Cd, Zn, Cu **207**, 1
Bedford, R.G., see C.E. Violet **207**, 347
Bruynseraede, Y., see V.V. Moshchalkov **207**, 307
Budin, H., O. Eibl, P. Pongratz and P. Skalicky, Disorder in the BiO sublattice of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+z}$ phases **207**, 208
Burany, X.M., see J. Chrzanowski **207**, 25

Cataudella, V., Two-dimensional vortices in layered superconductors **207**, 193
Chin, C.C. and T. Morishita, The transport properties of $YBa_2Cu_3O_{7-x}$ thin films **207**, 37
Chrzanowski, J., X.M. Burany, A.E. Curzon, J.C. Irwin, B. Heinrich, N. Fortier and A. Cragg, A study of the optimization of sputtering and sintering parameters for the growth of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ superconducting films **207**, 25
Chwalek, J.M., see J.A. Agostinelli **207**, 203
Cragg, A., see J. Chrzanowski **207**, 25
Cucolo, A.M., R. Di Leo and A. Nigro, An analysis of natural tunnel barriers in liquid-etched Y–Ba–Cu–O systems **207**, 21
Curzon, A.E., see J. Chrzanowski **207**, 25

Dabrowski, B., see H. Zhang **207**, 167
Das, A.N. and S. Sil, Small to large polaron transition in a strongly correlated system **207**, 51
Davoli, I., see M. Gazda **207**, 300
Dhallé, M., see V.V. Moshchalkov **207**, 307
Dhar, S.K., see H. Jhans **207**, 247
Di Leo, R., see A.M. Cucolo **207**, 21
Dineen, C., see T.P. Beales **207**, 1
Domengès, B., M. Hervieu and B. Raveau, Ordered substitution of "CO_3" groups for CuO_4 square groups in the "123" structure. The oxycarbonate $Y_4Sr_8Cu_{11}CO_3O_{25}$, $n=4$ member of the series $Y_nSr_{2n}Cu_{3n-1}CO_3O_{7n-3}$ **207**, 65
Dowell, C.D., see J.A. Agostinelli **207**, 203
Dravid, V.P., see H. Zhang **207**, 167
Durst, M.J., see C.E. Violet **207**, 347

Eibl, O., see H. Budin **207**, 208
Eichhorn, K., see T. Zeiske **207**, 333
Eom, C.B., see A.F. Marshall **207**, 239

Foote, M.C., see R.P. Vasquez **207**, 266
Foote, M.C., see J.B. Barner **207**, 381
Fortier, N., see J. Chrzanowski **207**, 25
Fukushima, K. and H. Adachi, Electronic structure calculations for two-dimensional transition metal oxides **207**, 119

Gazda, M., B. Kusz, R. Barczyński, O. Gzowski, L. Murawski, I. Davoli and S. Stizza, Low-temperature mechanical energy dissipation phenomena in lanthanum superconductors **207**, 300
Goodenough, J.B., see K.S. Nanjundaswamy **207**, 339
Greaves, C., see T.G.N. Babu **207**, 44
Griessen, R., see M. Jirsa **207**, 85
Grybos, J., see T. Zeiske **207**, 333
Gzowski, O., see M. Gazda **207**, 300

Hall, S.R., see T.P. Beales **207**, 1
Harrison, M.R., see T.P. Beales **207**, 1
Hase, T., R. Kita, K. Kawaguchi, T. Koga and T. Morishita, Differences in effects of oxygen partial pressure on $YBa_2Cu_3O_{7-x}$ growth between in situ and ex situ processes **207**, 58
Hashimoto, M., see S. Uji **207**, 112
Heinrich, B., see J. Chrzanowski **207**, 25
Hervieu, M., see B. Domengès **207**, 65
Hiraga, K., see N. Ohnishi **207**, 175
Hirai, T., see N. Ohnishi **207**, 175
Hohlwein, D., see T. Zeiske **207**, 333
Hsu, S.E., J.Y. Wang, C.M. Li, T.W. Huang and K.L. Wang, A quick process for synthesis of $Y_1Ba_2Cu_3O_7$ single phase superconductors **207**, 159
Huang, T.W., see S.E. Hsu **207**, 159

Huck, M.W., L.-J. Pa, D.W. Werner and L.A. Schwartzkopf, $Bi_2Sr_2CaCu_2O_8$ fibers spun by means of pendant drop melt extraction **207**, 261
Hudner, J., see L.B. Kiss **207**, 318
Hunt, B.D., see R.P. Vasquez **207**, 266
Hunt, B.D., see J.B. Barner **207**, 381

Irwin, J.C., see J. Chrzanowski **207**, 25

Jelínek, M., see V. Olšan **207**, 391
Jhans, H., S.K. Malik, S.K. Dhar and R. Vijayaraghavan, Magnetic ordering and superconductivity in the $Nd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ system **207**, 247
Jirsa, M., L. Pust, H.G. Schnack and R. Griessen, Extension of the time window for investigation of relaxation effects in high-T_c superconductors **207**, 85

Kajitani, T., see N. Ohnishi **207**, 175
Kawaguchi, K., see T. Hase **207**, 58
Keller, H., see T. Schneider **207**, 366
Khalfin, I.B. and B.Ya. Shapiro, Relaxation of magnetic flux in a superconductor with a system of columnar defects **207**, 359
Kiss, L.B., T. Larsson, P. Svedlindh, L. Lundgren, H. Ohlsén, M. Ottosson, J. Hudner and L. Stolt, Conductance noise and percolation in $YBa_2Cu_3O_7$ thin films **207**, 318
Kita, R., see T. Hase **207**, 58
Kiyama, T., see H. Shimizu **207**, 225
Koga, T., see T. Hase **207**, 58
Kornyushin, Y. and U. Yaron, Alternative approach to the description of magnetic properties of granular superconductors **207**, 273
Koshizuka, N., see S. Adachi **207**, 127
Koyama, T., see N. Takezawa **207**, 231
Ktitorov, S.A., Y.V. Petrov, B.N. Shalaev and V.S. Sherstinov, Random impurities effect on fluctuations of a type-II superconductor near the upper critical magnetic field **207**, 9
Kumar, D., see R. Pinto **207**, 13
Kusz, B., see M. Gazda **207**, 300

Larsson, T., see L.B. Kiss **207**, 318
Li, C.M., see S.E. Hsu **207**, 159
Lubberts, G., see J.A. Agostinelli **207**, 203
Lundgren, L., see L.B. Kiss **207**, 318

Malik, S.K., see H. Jhans **207**, 247
Manthiram, A., see K.S. Nanjundaswamy **207**, 339
Markiewicz, R.S., Van Hove exciton-cageons and high-T_c superconductivity. IX. Dynamic orthorhombic phase with splitting of density-of-states peaks **207**, 281
Marshall, A.F. and C.B. Eom, Microfaceting of 90° [100] tilt boundaries in $YBa_2Cu_3O_{7-x}$ thin films **207**, 239
Matheis, D.P., S.T. Misture and R.L. Snyder, Phase formation and growth mechanisms in $Bi_2Sr_2CaCu_2O_8$ glass ceramics **207**, 134
Matsui, Y., see E. Takayama-Muromachi **207**, 97
McGinn, P.J., see C. Varanasi **207**, 79
Mei, Z., see C.E. Violet **207**, 347
Misture, S.T., see D.P. Matheis **207**, 134
Miyazaki, Y., see N. Ohnishi **207**, 175
Molenda, J., T. Bąk and A. Stokłosa, Influence of lithium on the electronic structure of $YBa_2Cu_3O_{7-\delta}$ **207**, 147
Morishita, T., see C.C. Chin **207**, 37
Morishita, T., see T. Hase **207**, 58
Moshchalkov, V.V., M. Dhallé and Y. Bruynseraede, Numerical simulation of aperiodic vortex states in superconductors **207**, 307
M Parberry, J., see T.P. Beales **207**, 1
Murawski, L., see M. Gazda **207**, 300

Nakamura, F., see H. Shimizu **207**, 225
Nanjundaswamy, K.S., A. Manthiram and J.B. Goodenough, Factors influencing the stabilization and T_c of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ **207**, 339
Nigro, A., see A.M. Cucolo **207**, 21

Ohlsén, H., see L.B. Kiss **207**, 318
Ohnishi, N., Y. Miyazaki, H. Yamane, T. Kajitani, T. Hirai and K. Hiraga, Ordered arrangement of carbon and copper atoms in $(C_{0.4}Cu_{0.6})Sr_2(Y_{0.86}Sr_{0.14})Cu_2O_7$ **207**, 175
Olšan, V. and M. Jelínek, Study of $YBa_2Cu_3O_{7-x}$ film growth by real-time resistance measurement **207**, 391
Ottosson, M., see L.B. Kiss **207**, 318

Pa, L.-J., see M.W. Huck **207**, 261
Pai, S.P., see R. Pinto **207**, 13
Paracchini, C. and L. Romanó, The temperature dependence of the non-linear electrical response in HTSC **207**, 143
Petrov, Y.V., see S.A. Ktitorov **207**, 9
Pike, W.T., see J.B. Barner **207**, 381
Pinto, R., P.R. Apte, S.P. Pai and D. Kumar, Role of Ag in laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films. Evidence for grain enlargement and alignment **207**, 13
Pongratz, P., see H. Budin **207**, 208
Pust, L., see M. Jirsa **207**, 85

Qiu, X.G. and M. Tachiki, Resistive dissipation in the flux liquid state in high-temperature superconductors **207**, 255

Raveau, B., see B. Domengès **207**, 65
Romanó, L., see C. Paracchini **207**, 143

Sasaki, T., see E. Takayama-Muromachi **207**, 97
Schnack, H.G., see M. Jirsa **207**, 85
Schneider, T. and H. Keller, Extreme type II superconductors. Universal properties and trends **207**, 366
Schwartzkopf, L.A., see M.W. Huck **207**, 261
Seiji, N., see S. Adachi **207**, 127
Shalaev, B.N., see S.A. Ktitorov **207**, 9
Shapiro, B.Ya., see I.B. Khalfin **207**, 359
Sherstinov, V.S., see S.A. Ktitorov **207**, 9
Shimizu, H., T. Kiyama and F. Nakamura, Gd^{3+} – EPR study of $GdBa_2(Cu_{1-x}M_x)_3O_7$ (M = Fe, Co, Ni, Zn) **207**, 225

Sil, S., see A.N. Das **207**, 51
Skalicky, P., see H. Budin **207**, 208
Smith, G.S., see C.E. Violet **207**, 347
Snyder, R.L., see D.P. Matheis **207**, 134
Sonntag, R., see T. Zeiske **207**, 333
Stizza, S., see M. Gazda **207**, 300
Stokłosa, A., see J. Molenda **207**, 147
Stolt, L., see L.B. Kiss **207**, 318
Svedlindh, P., see L.B. Kiss **207**, 318

Tachiki, M., see N. Takezawa **207**, 231
Tachiki, M., see X.G. Qiu **207**, 255
Takayama-Muromachi, E., T. Sasaki and Y. Matsui, Direct oxidation of La_2CuO_4 in an aqueous solution of $KMnO_4$ **207**, 97
Takebayashi, S., see S. Uji **207**, 112
Takezawa, N., T. Koyama and M. Tachiki, Angular dependence of the upper critical field in layered superconductors **207**, 231
Tanaka, M., see S. Uji **207**, 112

Uji, S., H. Aoki, S. Takebayashi, M. Tanaka and M. Hashimoto, Flux creep by quantum tunneling in $YBa_2Cu_3O_{7-\delta}$ **207**, 112

Varanasi, C. and P.J. McGinn, The effect of $PtO_2 \cdot H_2O$ additions on the Y_2BaCuO_5 morphology in melt textured $YBa_2Cu_3O_{7-x}$ **207**, 79
Vasquez, R.P., M.C. Foote, B.D. Hunt and J.B. Barner, Growth of $YBa_2Cu_3O_{7-\delta}$ on alkaline earth fluoride substrates and thin films **207**, 266
Vasquez, R.P., see J.B. Barner **207**, 381
Vijayaraghavan, R., see H. Jhans **207**, 247
Violet, C.E., R.G. Bedford, N.W. Winter, G.S. Smith, Z. Mei, M.J. Durst and J.K. Wu, ^{57}Fe Mössbauer spectrometry and thermogravimetry of the high-T_c superconductor $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7.02}$ **207**, 347

Wang, J.Y., see S.E. Hsu **207**, 159
Wang, K.L., see S.E. Hsu **207**, 159
Wang, Y.Y., see H. Zhang **207**, 167
Watanabe, N., see S. Adachi **207**, 127
Werner, D.W., see M.W. Huck **207**, 261
Wheatley, J., Aspects of the normal state magnetic properties of $YBa_2Cu_3O_{6+x}$ **207**, 102
Winter, N.W., see C.E. Violet **207**, 347
Wolf, T., see T. Zeiske **207**, 333
Wu, J.K., see C.E. Violet **207**, 347

Yamane, H., see N. Ohnishi **207**, 175
Yamauchi, H., see S. Adachi **207**, 127
Yaron, U., see Y. Kornyushin **207**, 273

Zeiske, T., D. Hohlwein, R. Sonntag, J. Grybos, K. Eichhorn and T. Wolf, X-ray anomalous scattering on the superconducting ortho-II phase of $YBa_2Cu_3O_{6.51}$. A verification of Ba displacements **207**, 333
Zhang, H., Y.Y. Wang, V.P. Dravid, B. Dabrowski and K. Zhang, Unusual defect and domain structure in $YBa_2Cu_4O_8$ (Y124) single crystals **207**, 167
Zhang, K., see H. Zhang **207**, 167

Physica C 207 (1993) 401
North-Holland

PHYSICA C

Analytic Subject Index to Volume 207

1/*f* noise 318

Anharmonicity 281
Anisotropic superconductor 143, 193
Anomalous scattering 333
Antiferromagnetic order 102, 247
Applications of high T_c superconductors 266

Carrier concentration 44, 51
Charge–density waves 281
Cluster calculation 119
Columnar defects 359
Critical current density 13, 25, 85, 261
Critical phenomena 366

Defect structures 167, 208

Electrical resistivity 127, 147, 391
Electron diffraction 97, 175
Electronic structure 119, 147
Electron–phonon coupling 51, 281
ESR 225

Fibers 261
Fluctuation effects 9, 318, 366
Flux dynamics 85, 112, 255
Flux lattice 307
Flux pinning 37, 112, 359

Ginzburg–Landau theory 9, 193, 231, 307
Grain alignment 13
Grain boundaries 159, 239, 318
Granular superconductivity 273

HREM 65, 159, 167, 175, 208, 239
Hubbard Hamiltonian 51

Intercalation 147
Internal friction 300

Josephson effect 21, 193, 203, 381

$KMnO_4$-oxidation 97
Kosterlitz–Thouless model 143

Lattice parameters 51, 127, 339
Lawrence–Doniach model 193

Magnetic hysteresis loop 85
Magnetic relaxation 85, 112, 359
Magnetic susceptibility 127
Magnetization 273
Magnetoresistance 37, 255
Metal–insulator transition 119
Mixed state 255
Modulated structures 175
Mössbauer spectroscopy 347
Multilayers 231, 266
Muon spin rotation 366

Neutron diffraction 44
NMR 102
Non-ohmic behaviour 143
Normal-state properties 102

Optical diffraction 208
O–T transition 391
Oxygen ordering 97, 333
Oxygen stoichiometry 58, 147, 347

Percolation model 318
Phase formation 134
Proximity effect 231

Quantum tunneling 112

Shapiro steps 203, 381
Single-crystal growth 391
Solitons 281
Specific heat 9, 247
Spin-lattice relaxation 225
SQUID 203
Structural phase transition 281, 300, 339
Structure
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+z}$ 208
–of $(C_{0.4}Cu_{0.6})Sr_2(Y_{0.86}Sr_{0.14})Cu_2O_7$ 175
–of $La_2CuO_{4+\delta}$ 97
–of $(M',M)Sr_2(Y,Ca)Cu_2O_7$ (M'=Ce, Bi and M = Cd, Zn, Cu) 1
–of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ 25
–of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ 339
–of $Y_1Ba_2Cu_3O_7$ 159
–of $Y_4Sr_8Cu_{11}CO_3O_{25}$ 65
–of $YBa_2Cu_3O_{6.51}$ 333
–of $YBa_2Cu_3O_{7-x}$ 79
–of $YBa_2Cu_4O_8$ 167
–of $YSr_2Cu_{2.8}Cr_{0.2}O_7$ 44
Substitution effects 1, 79
–in $GdBa_2(Cu_{1-x}M_x)_3O_7$ (M=Fe, Co, Ni, Zn) 225
–in $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7.02}$ 347
–in $Nd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 247
–in $YBa_2Cu_3O_{7-\delta}$ 147
–in $YSr_2Cu_{2.8}Cr_{0.2}O_7$ 44
Surface impedance 13
Synthesis
–of $Bi_2Sr_2CaCu_2O_8$ 134
–of $La_2CuO_{4+\delta}$ 97
–of $(M',M)Sr_2(Y,Ca)Cu_2O_7$ (M'=Ce, Bi and M = Cd, Zn, Cu) 1
–of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ 25
–of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ 339
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ 127
–of $Y_4Sr_8Cu_{11}CO_3O_{25}$ 65
–of $YBa_2Cu_3O_{7-x}$ 58, 79
Synthesis of transition metal oxides 119

Thermoelectric effects 147
Thin films 13, 25, 37, 58, 203, 239, 266, 381, 391
Tunnel barriers 21
Tunneling 21
Twin boundaries 318
Type-II superconductors 9, 307, 366

Upper critical field H_{c2} 37, 231

Weak links 203, 273, 381

XPS 266
X-ray diffraction 134, 159